

Hydrogen from Microalgae and the Collection and Sensing Systems

Team 9

Nicole Alvarez: nda10@my.fsu.edu

Jonatan Elfi: jelle@my.fsu.edu

Ariel Johnson: anj10c@my.fsu.edu

Angeline Lenz: ael11b@my.fsu.edu

Ben Richardson: jbr10@my.fsu.edu

Richard Sandoval: rs11j@my.fsu.edu

Project Advisors:

Dr. Juan Ordonez

Department of Mechanical Engineering, FSU

Dr. Jose Vargas

Department of Mechanical Engineering, UFPR

Course Professors:

Dr. Chiang Shih

Department of Mechanical Engineering, FSU

Dr. Scott Helzer

Department of Mechanical Engineering, FSU

Dr. Nikhil Gupta

Department of Mechanical Engineering, FSU

10 October 2014

*Department of Mechanical Engineering, Florida State University, Tallahassee, FL
Department of Mechanical Engineering, Federal University of Parana, Curitiba, Brazil*

Table of Contents

Abstract	iii
1 Introduction	1
2 Project Definition	2
2.1 Background research	2
2.2 Need Statement	3
2.3 Goal Statement & Objectives	3
3 Constraints	5
3.1 Design Specifications	5
3.2 Performance Specification	5
4 Methodology	6
4.1 Methodology Summary	6
4.2 Schedule	6
4.3 Resource Allocation	7
5 Conclusion	8
6 References	9

Table of Figures

Figure 1a Scenedesmus sp.....	2
Figure 1b Chlamydomonas reihardti.....	2
Figure 2 Bioreactor Schematic.....	3
Figure 3 Team 7 Photobioreactor 2013.....	3

Table of Tables

Table 1 Gantt Chart.....	10
--------------------------	----

Abstract

Although it may not be readily apparent, energy directly correlates with the quality of life and technological resources that are available to people. As societies grow and become more advanced, the consumption and need for more energy increases. The augmented demand can put a strain on available resources which is why there has been a heightened interest in alternative energy. This project will focus on hydrogen as an alternative energy source. A photobioreactor has been developed which uses the hydrogen gases produced by microalgae to create energy. This project seeks to improve microalgae cultivation and develop a sensor to accurately measure the amount of hydrogen produced.

1 Introduction

Hydrogen gas has become an ideal fuel source for the future since it burns clean and generates a large amount of energy per unit mass allowing it to be more fuel efficient than other resources¹. Using hydrogen in renewable energy processes has become of greater interest due to the depletion of natural oil reserves. However, because of low concentrations at its pure form, hydrogen is not cost efficient for everyday use, making the study of biohydrogen one of great interest². This calls for the exploration of hydrogen generation as a waste product of anaerobic respiration of green and blue algae from a photo bioreactor. When a controlled environment enables and regulates the proper anaerobic conditions necessary for the cultivation of algae, a photobioreactor is constructed to allow larger amounts of bio hydrogen to be produced and utilized as clean energy³. This occurs through biophytolysis of water by algae. The presence of light irradiation catalyzes the event and water is broken down into its hydrogen and oxygen components⁴. The phenomenon in which hydrogen is created as a waste product during the photosynthesis of algae must be promoted in a way that overcomes various issues⁵. These issues include creating a system that enables steady and continuous microalgae growth that is cost effective. The evolution of hydrogen results in an amount of fuel that is useable in commercial applications. The scope of this project will be directed toward the design and development of microalgae and measuring and collecting the hydrogen produced.

2 Project Definition

2.1 Background research

Background:

In today's world the need for renewable/sustainable energy has never been greater. Coal, petroleum, and other types of non-renewable sources provide much of the energy used today. Within the next century, these energy resources are projected to be fully depleted. Hydrogen is at the top of the list of biofuels that can solve the energy crisis that future generations face. Hydrogen is the simplest element known to man and it is usually combined with other elements. For example, hydrogen combines with oxygen to form H_2O , the most abundant resource on our planet¹. However, it has proven difficult and expensive to split hydrogen from water to use as an energy source². The most common form of this element is found as hydrocarbons, a product of organic compounds, which makes up gasoline, methanol, and propane. Hydrogen can be extracted from hydrocarbons through the application of heat, a process known as reforming¹. The downside of reforming is the byproduct CO_2 , which contributes to the greenhouse effect.

One alternative for hydrogen production comes from algae. Using sunlight as their energy source, and under the right conditions, algae can give off hydrogen. The research that is currently being done is aimed at two types of algae: *Scenedesmus* sp. and *Chlamydomonas reinhardtii*, figure 1a and 1b, respectively. These types of algae are favored due to their high degree of adaptability and fast reproductive cycle³. Our sponsor has given us the primary tasks of designing and developing an H_2 producing photobioreactor, and designing and developing an electronic H_2 mass measuring sensor to test such systems.




Figure 1a: *Scenedesmus* sp




Figure 1b: *Chlamydomonas reinhardtii*




Figure 2: Schematic of a Photobioreactor.

a basic schematic of a PBR. The main components of such a system include a light source, hot plate, thermocouple, container, and a gas collection apparatus. Previous senior design teams at Florida State University have built working photobioreactors. One such team was team 7 from 2013 who was successful in designing and fabricating a bioreactor, which can be seen in figure 3. Their bioreactor has sensors that can monitor algae concentration, mass flow rate, and CO₂ concentrations. The bioreactor is installed in the AME building at the FAMU-FSU engineering school.

In order to produce H₂ from algae, the algae must be cultivated in a controlled manner. There are two ways to cultivate algae: open ponds and photobioreactors. Photobioreactors (PBRs) are closed systems that provide a controlled environment where algae productivity is high. PBRs are used to better control CO₂ supply, water supply, temperature, etc⁴. Figure 2 shows



Figure 3: Team 7's 2013 photobioreactor

2.2 Need Statement

Florida State University and the Federal University of Parana have joined together to sponsor this project. There is need for a scalable and sustainable process for producing hydrogen from microalgae cultures such as *Scenedesmus* sp. and *Chlamydomonas reinhardtii* to demonstrate the feasibility of photobioreactors in the field of alternative energy. Additionally, an automated sensing system will be needed to monitor the hydrogen content of the resulting PBR system.

2.3 Goal Statement & Objectives

The goal of this project is to further the development of alternative energy with the use of a sustainable process for producing hydrogen from microalgae. To consider this project as successfully completed, there are several goals that need to be met. Below are the main objectives that must be accomplished:

Hydrogen from Microalgae and the Collection and Sensing Systems

- Design and construct operational H₂ producing units
- Design and construct an electronic H₂ mass measuring sensor
- Provide enough experimental data to test the operation of the H₂ producing designed units
- Provide mechanical drawings of the entire system and sensor for future product scale up
- Write an invention disclosure (FSU team) to be submitted to the USPTO by the OTT/FSU, and a patent request (Brazilian team) to be submitted to the Brazilian INPI, for the H₂ producing photo bioreactor system developed

3 Constraints

3.1 Design Specifications

There are many engineering issues such as appropriate bioreactor designs and scaling-up the system, preventing interspecies hydrogen transfer to non-sterile conditions, and the purification and separation of hydrogen. The photobioreactor should be designed in such a way that it is easily scalable. The workspace in the lab is small which means the size of our bioreactor will be smaller. However, if this type of system is to potentially be used as a major source of energy in the future, a much larger bioreactor is needed. The bioreactor also cannot be used until a gallon of algae is grown. Until then, the algae will initially be grown in small glass bottles or beakers.

3.2 Performance Specification

Our team is working with a budget of roughly \$1000. This creates issues when it comes to growing and maintaining healthy algae. The food for the algae is very expensive to buy premade so it is important for the team to learn how to make the food. The biggest constraint for this project deals with maintaining a large amount of healthy algae and the time it takes to produce that amount. It can take months to grow an adequate amount of algae and without a large amount, hydrogen production won't be maximized. Many of the students working on this project have little background in the growth processes of microalgae and microorganisms in general. This insufficient knowledge could lead to a lack of understanding on how to integrate hydrogen production with other processes. The processing of biomass feed stock is also very expensive. If this is to become a widespread energy source in the future, the cost of production must be reduced.

The hydrogen mass sensor must have three different colored LED lights that correspond with different percentage levels (5%, 10%, 20%) of hydrogen mass. The lights will light up according to the mass percentage detected. It will also make a sound once the hydrogen mass percentage level is above 5%.

4 Methodology

4.1 Methodology Summary

Creating a set schedule and organization of tasks is essential to ensuring a successful project. The first tasks include researching microalgae. It is important to understand how to grow and maintain healthy algae so that enough hydrogen will be produced. Without a substantial amount of hydrogen, testing will be inadequate. Data will be collected periodically in order to determine how well the system is working. Team members will also work on designing and constructing a sensor which will aid in determining the amount of hydrogen being produced. The collected results will be analyzed and used to determine how the current system can be improved. The final results and suggestions for improvement will be presented during the final presentation.

4.2 Schedule

The Gantt chart shown in Appendix A breakdowns the team's assignments for the fall semester. It is broken down into four sections: initial planning, microalgae growth, sensor development, and photobioreactor development. The initial planning phase has been completed; however, many assignments in the remaining three sections will continue to be worked on throughout the semester. Algae growth research will be ongoing throughout the semester in order to ensure maximum growth and hydrogen production. Roughly a week will be spent evaluating current equipment and equipment needed as well as cost analysis. Once this is complete, supplies will be ordered. Algae growth will begin as soon as the supplies arrive and the lab is fully set up. A similar approach has been used for the sensor and photobioreactor development. Research began at the beginning of the semester but will continue as improvements need to be made. Following research, an equipment evaluation was performed as well as cost analysis and ordering of parts. There are currently parts for the sensor but it needs to be reprogrammed to meet the performance specifications. This began ahead of schedule (week of September 29). Once it has been fully programmed, the sensor will be test and recalibrated as needed. The photobioreactor follows a similar schedule. After the current photobioreactor has been evaluated, it will be updated with any additional parts needed. Once this is complete and there is enough algae grown in the small manual bioreactors, the algae will be moved to the automated photobioreactor.

4.3 Resource Allocation

The FSU team will be handling most of the algae growth as well as the photobioreactor development. The UFPR team will work on creating a functional sensor. The entire FSU team has researched algae growth in order to explore multiple ideas and perspectives. The group has currently been talking with the sponsor to determine what equipment and parts are needed. Ariel Johnson will handle the cost analysis and Jonatan Elfi will handle ordering parts. The FSU team as a whole will work on the lab set up as well as maintaining algae growth. Jonatan has performed the majority of the bioreactor research. The team will evaluate the current bioreactor together to determine what adjustments should be made. Ariel will again perform cost analysis and Jonatan will handle ordering parts. The initial cost analysis should only take 2-3 days. Ordering parts will immediately follow the completion of cost analysis. Some equipment like the algae may take up to 4 weeks to arrive. Because of this, the team will be working on setting up the lab and experimenting with medium solutions.

5 Conclusion

The continuous development of renewable energy sources like that of hydrogen can make a positive impact on society. Decreasing society's dependency on fossil fuels will not only create a cleaner atmosphere by reducing greenhouse gas emission, but it is also an economically viable energy option. This design project is focused on developing a more efficient way of cultivating microalgae as well as maximizing the amount of hydrogen that is produced and extracted in order to develop an effective energy alternative.

6 References

1. Masukawa, Hajime. "Genetic Engineering of Cyanobacteria to Enhance Biohydrogen Production from Sunlight and Water." *Ambio* 41.Supplement 2. Special Report: Capturing the Sun (2012): 169-73. *Formatex.org*. Web.
2. Demirbas, Ayhan. *Biohydrogen: For Future Engine Fuel Demands*. London: Springer, 2009. Print.
3. "Cultivation of Algae - Photobioreactor: Oil from Algae." *Cultivation of Algae - Photobioreactor - Oil from Algae*. N.p., n.d. Web. 24 Sept. 2014.
4. "Project 9: Bioh2." *Campus.fsu.edu*. Web. 24 Sept. 2014.
5. Gaffron, H. Rubin, J. *Journal of General Physiology* (1942):26, 219.
6. "Hydrogen Energy." *Hydrogen Power and Fuel Cells*. N.p., n.d. Web. 25 Sept. 2014.
7. "A Better Way to Get Hydrogen from Water | MIT Technology Review." *MIT Technology Review*. N.p., n.d. Web. 26 Sept. 2014.
8. "Friendly Mutant Algae Could Churn Out Sustainable Hydrogen On Your Desktop." *CleanTechnica*. N.p., n.d. Web. 26 Sept. 2014.
9. "Photobiological Hydrogen Production from Cyanobacteria *Anaebena Variabilis*." *Photobiological Hydrogen Production from Cyanobacteria Anaebena Variabilis*. N.p., n.d. Web. 26 Sept. 2014.

Hydrogen from Microalgae and the Collection and Sensing Systems





Table 1: Gantt Chart